

## TPG CoReAdmin Guide 4.5

Version: 4.5.0  
Status: 11/17/2025


## Table of Contents

<b>1</b>	<b>General Features</b>	<b>3</b>
<b>2</b>	<b>Work Interface and Views</b>	<b>3</b>
2.1	Row filters and sorting	4
2.2	Column filters	6
2.3	Expanding tables	6
2.4	Editing of records	6
<b>3</b>	<b>Users</b>	<b>7</b>
<b>4</b>	<b>Settings</b>	<b>9</b>
<b>5</b>	<b>Resources</b>	<b>10</b>
<b>6</b>	<b>Lookup Tables</b>	<b>11</b>
<b>7</b>	<b>Custom Fields</b>	<b>13</b>
<b>8</b>	<b>Currencies</b>	<b>14</b>
<b>9</b>	<b>Calendars</b>	<b>16</b>
9.1	Defining exceptions	17
9.2	Grouping exceptions	17
9.3	Adding exceptions to calendar	20
<b>10</b>	<b>Teams</b>	<b>22</b>
10.1	Assembling/Editing a team	24
<b>11</b>	<b>Portfolios</b>	<b>25</b>
11.1	Editing a portfolio	26

## 1 General Features

TPG CoReAdmin is the central administration tool for all components of the TPG CoReSuite.

With TPG CoReAdmin, administrators control user permissions for TPG CoRePlanner, TPG TeamManager and TPG PortfolioManager. They administer resources and assemble teams or portfolios. Colors for charts and other features, currencies, custom fields, lookup tables and calendars can be configured according to the needs of the enterprise. External commands allow connecting to other source systems so that resources, projects and their properties can be imported into the CoReSuite.




## 2 Work Interface and Views

When you open TPG CoReAdmin, the *General* tab is opened by default. All functions are on the *General* tab.

For each administrative category, there is an extra view:

Views



*Users* is grayed out in the image above as it is the active view after opening TPG CoReAdmin.

**Users**<sup>7</sup>: User management and general permissions

**Settings**<sup>9</sup>: Change of settings like the histogram colors in TPG PortfolioManager, the timeline start, or check-in settings.

**Resources**<sup>10</sup>: Adding/Editing resources and their properties

**Lookup Tables**<sup>11</sup>: Definition of lookup values for custom fields

**Custom Fields**<sup>13</sup>: Definition of custom fields for portfolios, projects, tasks, resources and assignments

**Currencies**<sup>14</sup>: Listing currencies that can be used for projects and portfolios, definition of exchange rates

**Calendars**<sup>16</sup>: Definition of calendars taking into account holidays and daily working hours

**Teams**<sup>22</sup>: Assembling teams of resources, assignment of team roles to users, defining membership periods

**Portfolios**<sup>25</sup>: Creating portfolios from projects and resources

- 
- ▶ In some views, there is no *Save* button. In these views, input data are saved automatically. If you do not want to keep the last changes, click the *Undo* button below the table.



## 2.1 Row filters and sorting



- To filter the rows of a table, type the beginning of the desired name in the search field above the table.



In the *Teams* and *Portfolios* views, you can filter the rows for specific features.

- Go to the header of the column you want to filter and click the arrow that appears.
- Go to *Filters* and select or enter the filter criteria.


With the *Filters* checkbox in the drop-down menu selected, the filter will be applied. An underlined column header indicates that a filter is active.



- To remove the filter, deselect the *Filters* checkbox in the drop-down menu.

The rows can be sorted ascending or descending.


- Go to the header of the column by which you want to sort the rows.
- Click the arrow that appears and select the desired order.



## 2.2 Column filters

In some tables, you can customize the number of columns to be shown. The customization will be saved automatically.

- To define which columns are hidden or shown, go to the head cell of a column and click the arrow that appears.
- Go to *Columns* and deselect or select the respective checkboxes.



## 2.3 Expanding tables

Some tables in the *Calendars*, *Teams* and *Portfolios* views are not shown in their full width.

- To expand a table to its full width, click the arrow next to the *Add* button above the table.



- To collapse the table, click the arrow again.

## 2.4 Editing of records

Most records can be edited after double-click in the respective row. Editable entries will be shown in an input field.

- 
- ▶ In the *Teams* view, first select the team you want to edit and click *Edit mode* above the table.
-


- To finish editing, click *Update* or *OK* respectively.


Currency	Symbol	Name	Created	Modified
CHF	SFr	Swiss Franc	2022-04-08	
EUR	€	Euro	2020-04-07	
GBP	£	British Pound	2022-04-08	
<input type="text" value="JPY"/>	<input type="text" value="¥"/>	<input type="text" value="Japanese Yen"/>	2023-05-04	
USD	\$	Dollar	2020-04-07	


Name	Description
<input checked="" type="radio"/> Team Development	
<input type="radio"/> Team IT	
<input type="radio"/> Team Marketing	


### 3 Users


Views


  
Users


 Settings


 Resources


 Lookup  
Tables


 Custom  
Fields


 Currencies

 Calendars

 Teams

 Portfolios

 External  
Commands

 About  
▼  
About

Views

In this view, you add or delete users and define their access rights for the CoReSuite.

- To add a user, click *Add* on the right above the table.

- Fill out the fields.  
Empty fields with a red border are required.
  - Click *Update*.

Users Find by name... Add Delete

Name	Windows Login	Email	Last Login	External UID	Administrator	Create
anna.fischer@tpg	anna.fischer	anna.fischer@tpg	2021-02-18			
Linda.Schwaiblmair	linda.schwaiblmair	linda@tpg	2023-05-03			
Michael.Fuchs	Michael.Fuchs	michael@tpg	2023-02-25			
Marie.Kornel	Marie.Kornel	marie@tpg	2021-02-16			
Walter.Huber	Walter.Huber	walter@tpg	2023-04-24			
TPG_Administrator	Administrator					
John Smith	john.smith@c	john.smith@c				

Update Cancel

- Click *Save* at the bottom left.
- Select the user to define their permissions.
- To grant access to components of the CoReSuite, select the appropriate checkboxes in the *Product Type* table (1).
- In the *Permissions* table, select the permissions you want to grant to the user (2).

---

➤ To be able to create and edit scenarios, a user of TPG PortfolioManager needs at least *Create Portfolio* permissions and access to TPG CoReAdmin. Alternatively, you can grant the user *Administrator* permissions for TPG PortfolioManager. This includes extensive permissions also in CoReAdmin.

For users of TPG TeamManager, you specify permissions on individual teams by assigning roles in the *Teams* <sup>22</sup> view.

---

Product Type

1	Product Type	Description
<input type="radio"/>	TPG CoReAdmin	TPG CoReAdmin is the central administrati...
<input checked="" type="radio"/>	TPG CoRePlanner	The tool for cost and resource planning.
<input type="radio"/>	TPG PortfolioManager	The tool for portfolio management.
<input type="radio"/>	TPG TeamManager	The tool for resource management.

Permissions

2	Permission	Description
<input type="radio"/>	Administrator	This permission allows everything.
<input type="radio"/>	Create Projects	This permission allows creating projects.
<input checked="" type="radio"/>	Project Manager	The Project Manager can create projects an...


For permissions to edit specific teams or portfolios, refer to [Teams](#)<sup>23</sup> or [Portfolios](#)<sup>25</sup>.

- If you want to delete a user, select them and click *Delete* on the right above the table.



## 4 Settings

Views



In the *Settings* view, you can define the timeline start and other features on separate tabs for Portfolio and Planner.

- To change a setting, double-click in the corresponding row of the *Value* column.
- Enter the desired value, or open the drop-down menu and select an option.

- Click *Save* at the bottom left.

### Both tabs

*Timeline Start* and *Timeline Start Value*: If *Timeline Start* is set to *Dynamic*, the timeline will start with the current month of the year.

If *Timeline Start* is set to *Fixed*, the month of the timeline start is defined by the *Timeline Start Value*. The timeline will start with the indicated month of the current year, regardless of whether this month is in the past or the future.

### Portfolio tab

*Display Baseline Start and Finish by default*: If the value is set to *Yes*, the *Baseline Start* and *Baseline Finish* columns will be shown in the scenario table of TPG PortfolioManager by default. The user can hide the columns.

*Gantt bar* and *Histogram* color settings: Gantt bars show the duration of projects in a scenario, histograms the resource utilization. Values for the colors can be entered as names or hex codes. For a list of named HTML colors, you can refer to websites like [HTML Color Groups \(w3schools.com\)](http://HTML Color Groups (w3schools.com)).


### Planner tab

*Automatic Check-in on Close*: If the value is set to *Yes*, projects will automatically be set to read mode when they are closed. Other users who have permission can edit the projects.

*Visible Fields in Project Information Dialog*: Select the **custom fields** <sup>13</sup> to be displayed when the *Info* button is clicked in an opened project.

## 5 Resources

Views



In this view, you add or delete resources. Work resources must be linked to a calendar to calculate their capacity.

- To add a resource, click *Add* on the right above the table.

Find by name...

- Fill out the fields.  
Empty fields with a red border are required fields.  
In the *Type* field, select *Work* from the drop-down menu.
- Click *Update*.

Sven	Work	<input type="radio"/>	Half	Generic Resources	
Terry	Work	<input type="radio"/>	Sta	Mon - Thu	TPGProducts...
Tina	Work	<input type="radio"/>	Sta	Half Day	TPGProducts...
Tom	Work	<input type="radio"/>	Sta	Standard Calendar	TPGProducts...
Workshop location	Cost	<input type="radio"/>			
Anne	Work	<input type="radio"/>			

OK Cancel

- If you want to delete a resource, select them and click *Delete* on the right above the table.

Find by name...

For organizing resources in teams, see [Teams](#) <sup>22</sup>.

## 6 Lookup Tables

Views

Users	Settings	Resources	<b>Lookup Tables</b>	Custom Fields	Currencies	Calendars	Teams	Portfolios	External Commands	About
-------	----------	-----------	----------------------	---------------	------------	-----------	-------	------------	-------------------	-------

Views

With lookup tables, you define a list of options for entries in custom fields.

- To add a lookup table, click *Add* on the right above the *Lookup Tables* table.

Find by name...

- Fill out the form.  
The *Name* and the *Field Type* fields are required.
- Click *Update*.

Lookup Tables Find by name... Add Delete

Name	Description	Field Type	External UID	Created	Modified
Traffic Lights	Red / Yellow / Green for KPIs			2023-06-01	

Update

Values and Columns

- Add the first value: Click the left button above the *Values and Columns* table.
  - Depending on the field type, type a value or select a date from the calendar.
  - Press the Enter key or click outside the field to finish.

Values and Columns

Value	Description
Red	

- Optionally, enter a description of the value.  
The *Description* field can be edited after a double-click in the cell.

- Define further values, their order and outline levels by using the buttons.



- 1) Adds a new row below the selected item.
- 2) Adds a new row above the selected item.
- 3) Deletes the selected item.
- 4) Moves the selected item up by one row.
- 5) Moves the selected item down by one row.
- 6) Indents the selected item.
- 7) Outdents the selected item.

- Click *Save* at the bottom left.


When the lookup table is complete, [link it to a custom field](#) <sup>13</sup>.

► Once a lookup table is linked to a custom field, the lookup table cannot be deleted.

- If you want to delete a lookup table, select it and click *Delete* on the right above the *Lookup Tables* table.

## 7 Custom Fields

Views



Custom fields can be defined for portfolios, projects, tasks, resources and assignments.

► If you want to add a custom field with drop-down selection, first make sure an appropriate lookup table exists. Once the custom field is created and saved, it cannot be linked to a lookup table.

- To add a custom field, open the corresponding tab and click *Add* on the right above the table.

Find by name...

- Fill out the form.

The *Name* and the *Field Type* fields are mandatory.

- If you want the custom field to be filled by selecting an option, fill out the *Lookup Table* field. The drop-down menu shows only the lookup tables of the corresponding field type.
- Click *Update*.

Name	Description	Field Type	Aggregatio...	Lock Type	Required	Lookup Table	Lookup Table Column	External UID	Created	Modified
Prio		Text	None	Never	No				2022-09-09	
Program		Text	None						2022-09-09	
Status Overall		Text	None						2022-09-09	
Cost KPI		Text	None	Never	No				2023-06-06	

- Click *Save* at the bottom left.
- If you want to delete a custom field, select it and click *Delete* on the right above the table.

## 8 Currencies

Views

Views

Users Settings Resources Lookup Tables Custom Fields **Currencies** Calendars Teams Portfolios External Commands About

The standard currencies of the CoReSuite are CHF, EUR, GBP and USD. Standard currencies cannot be deleted.

You can add custom currencies:

- Click *Add* on the right above the table.

Find by name...

- Fill out the fields.

The *Name* field is required.

- Click *Update*.

Currencies Find by name... Add Delete

Currency	Symbol	Name	Created	Modified
CHF	SFr	Swiss Franc	2022-04-08	
EUR	€	Euro	2020-04-07	
GBP	£	British Pound		
USD	\$	Dollar		
JPY	¥	Yen	2023-05-03	

Update Cancel

- To define an exchange rate, select the base currency in the *Currencies* table.
- Select the counter currency in the *Currency Exchanges* table (1).
- Click *Add* on the right above the *Rates* table (2).

Currency Exchanges

Currency	Symbol
CHF	SFr
EUR <b>1</b>	€
GBP	£
USD	\$

Rates **2** Add Delete

Start	Finish	Rate


- Fill out the fields.

To enter the start and finish date, click the respective calendar icon and select a date.

- Click *Update*.
- Click *Save* at the bottom left.
- If you want to delete a non-standard currency, select it and click *Delete* above the table.

## 9 Calendars

Views




The Standard Calendar is defined as eight work hours per day from Monday to Friday. You can edit the calendar or add a new one.

- To add a calendar, click *Add* above the *Calendars* table.



- Enter a name for the calendar and click *Update*.



- Expand the table.
- If you want the calendar to be used as default, select the checkbox in the *Default* column.
- Define the number of work hours for each day of the week and click *Update*.

Name	Default	Working Hours	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday	Mo
<input type="radio"/> Generic Resources	<input type="checkbox"/>	8	0	0	0	0	0	0	0	30
<input type="radio"/> Half Day	<input type="checkbox"/>	8		4	4	4	4	0	0	30
<input type="radio"/> Standard Calendar	<input checked="" type="checkbox"/>	8			8	8	8	8	0	0
<input checked="" type="radio"/> Mon - Thu	<input type="checkbox"/>	8	8	8	8	8	4	0	0	

The next step is to **add workday exceptions** <sup>20</sup> to the calendar. If the *Exceptions* table does not contain the necessary dates, first **define exceptions** <sup>17</sup>.

## 9.1 Defining exceptions

The *Exceptions* table provides a list of holidays from work that can be added to specific calendars per year.

- To add an exception, expand the *Exceptions* table and click *Add* above the table.
- Fill out the fields.

The date is selected from the calendar of the current year but only day and month will be relevant. The exceptions in this list can be linked to any year of a calendar. Therefore, it is recommended to add the year to the name of dynamic holidays.

The default value in the *Options* column is *Public Holiday*. For other kinds of exceptions, select an option. With *Custom*, you can define the number of work hours for that day in the *Hours* column.

- Click *Update*.

Exceptions				
	Name	Date	Option	Hours
<input type="radio"/>	1st Christmas day	25-12	Public Holiday	0
<input type="radio"/>	Easter Monday 2023	10-04	Public Holiday	0
<input type="radio"/>	New Year	01-01	<input type="button" value="Update"/> <input type="button" value="Cancel"/>	0
<input type="radio"/>	2nd Christmas day	26-12		0
<input type="radio"/>	Good Friday 2023	07-04-2023	Public Holiday	0

Public Holiday  
 Full Day  
 Half Day  
 Custom

The exceptions can be added to a calendar <sup>20</sup> individually or in groups.

## 9.2 Grouping exceptions

To simplify the allocation of exceptions to calendars, exceptions can be grouped. For example, you can define a group of fixed holidays or groups of holidays recognized in specific regions.

- Click *Add* above the *Exceptions Groups* table.

- Fill out the form and click *Update*.

Exceptions Groups Add

Name ↑	Description
<input type="radio"/> Fixed holidays in DE	

- Select the exceptions you want to group and the group.


Exceptions		Unselect ... ▶	Exceptions Groups		Unselect ...
<input checked="" type="checkbox"/>	New Year	01-01	<input checked="" type="checkbox"/>	Fixed holidays in DE	
<input checked="" type="checkbox"/>	Epiphany	06-01			
<input type="checkbox"/>	Good Friday 2023	07-04			
<input type="checkbox"/>	Easter Monday 2023	10-04			
<input checked="" type="checkbox"/>	Labour Day	01-05			
<input type="checkbox"/>	Ascension Day 2023	18-05			
<input type="checkbox"/>	Whit Monday 2023	29-05			
<input type="checkbox"/>	Corpus Christi 2023	08-06			
<input checked="" type="checkbox"/>	Assumption Day	15-08			
<input checked="" type="checkbox"/>	German Unity Day	03-10			
<input checked="" type="checkbox"/>	All Saints' Day	01-11			
<input checked="" type="checkbox"/>	Christmas Eve	24-12			
<input checked="" type="checkbox"/>	1st Christmas Day	25-12			
<input checked="" type="checkbox"/>	2nd Christmas Day	26-12			
<input checked="" type="checkbox"/>	New Year's Eve	31-12			

Grouped Exceptions		Delete
Name	Date	

- Click the three dots above the *Exceptions* or the *Exceptions Groups* table and select *Add Exceptions to Group*.

The exceptions will be shown in the *Grouped Exceptions* table.



Exceptions Groups Unselect ...

Name	Description
<input checked="" type="checkbox"/> Fixed holidays in DE	

Grouped Exceptions Delete

Name	Date
<input type="checkbox"/> New Year	01-01
<input type="checkbox"/> Epiphany	06-01
<input type="checkbox"/> Labour Day	01-05
<input type="checkbox"/> Assumption Day	15-08
<input type="checkbox"/> German Unity Day	03-10
<input type="checkbox"/> All Saints' Day	01-11
<input type="checkbox"/> Christmas Eve	24-12
<input type="checkbox"/> 1st Christmas Day	25-12
<input type="checkbox"/> 2nd Christmas Day	26-12
<input type="checkbox"/> New Year's Eve	31-12

- If you want to delete an exception from the group, select it in the *Grouped Exceptions* table and click *Delete* above the table.

## 9.3 Adding exceptions to calendar

Workday exceptions can be added to calendars per year. It is possible to add exceptions to more than one year at a time.

You can select individual exceptions or groups of exceptions to add to a calendar.

- Select the calendar and the year(s) to which you want to add exceptions (1, 3).
- To add individual exceptions, select the items you want to add in the *Exceptions* table (2).

The screenshot shows the 'Calendar Exceptions' configuration page. It consists of three main panels:

- Calendar Exceptions:** A table with columns 'Name' and 'Default'. It lists options like 'Generic Resources', 'Half Day', 'Mon - Thu' (highlighted with a red '1'), and 'Standard Calendar'. Below this is a 'Years' section with a table for selecting years (2019-2025), where '2023' is highlighted with a red '3'.
- Delete:** An empty table with columns 'Name' and 'Date'.
- Exceptions:** A table with columns 'Name' and 'Date'. It lists various holidays and exceptions, including 'New Year', 'Easter Monday 2023' (highlighted with a red '2'), 'Labour Day', 'Ascension Day 2023', 'Whit Monday 2023', 'Corpus Christi 2023', 'Assumption Day', 'German Unity Day', 'National Holiday AT', 'All Saints' Day', 'Immaculate Conception Day', 'Christmas Eve', and '1st Christmas Day'.

- Alternatively, select one or more groups in the *Exceptions Groups* table.
  - If the group contains items you do not want to include, deselect them in the *Grouped Exceptions* table.

Exceptions Groups Unselect ...

Name	Description
<input checked="" type="checkbox"/> Fixed holidays in DE	
<input type="checkbox"/> Fixed holidays in AT	


Grouped Exceptions Unselect Delete

Name	Date
<input checked="" type="checkbox"/> New Year	01-01
<input checked="" type="checkbox"/> Epiphany	06-01
<input checked="" type="checkbox"/> Labour Day	01-05
<input checked="" type="checkbox"/> Assumption Day	15-08
<input checked="" type="checkbox"/> German Unity Day	03-10
<input checked="" type="checkbox"/> All Saints' Day	01-11
<input checked="" type="checkbox"/> Christmas Eve	24-12
<input checked="" type="checkbox"/> 1st Christmas Day	25-12
<input checked="" type="checkbox"/> 2nd Christmas Day	26-12
<input checked="" type="checkbox"/> New Year's Eve	31-12

- Click the three dots above the table from which you selected the items and select *Add Exceptions to Calendar*.

The exceptions will be shown in the *Calendar Exceptions* table.

In the example below, individual exceptions and the group were added subsequently. After refreshing the page, the exceptions will be sorted by date.



C...  Unselect ... ▶

Name	Default
<input type="radio"/> Generic Resources	<input type="radio"/>
<input type="radio"/> Half Day	<input type="radio"/>
<input checked="" type="radio"/> Mon - Thu	<input type="radio"/>
<input type="radio"/> Standard Calendar	<input checked="" type="radio"/>

Years Unselect

Year
<input type="radio"/> 2019
<input type="radio"/> 2020
<input type="radio"/> 2021
<input type="radio"/> 2022
<input checked="" type="radio"/> 2023
<input type="radio"/> 2024

Name	Date
<input type="radio"/> Easter Monday 2023	10-04-2023
<input type="radio"/> Ascension Day 2023	18-05-2023
<input type="radio"/> Whit Monday 2023	29-05-2023
<input type="radio"/> Corpus Christi 2023	08-06-2023
<input type="radio"/> New Year	01-01-2023
<input type="radio"/> Epiphany	06-01-2023
<input type="radio"/> Labour Day	01-05-2023
<input type="radio"/> Assumption Day	15-08-2023
<input type="radio"/> German Unity Day	03-10-2023
<input type="radio"/> All Saints' Day	01-11-2023
<input type="radio"/> Christmas Eve	24-12-2023
<input type="radio"/> 1st Christmas Day	25-12-2023
<input type="radio"/> 2nd Christmas Day	26-12-2023
<input type="radio"/> New Year's Eve	31-12-2023

- If you want to delete an exception from the calendar, select it in the *Calendar Exceptions* table and click *Delete* above the table.

## 10 Teams

Views

Users	Settings	Resources	Lookup Tables	Custom Fields	Currencies	Calendars	Teams	Portfolios	External Commands	About
-------	----------	-----------	---------------	---------------	------------	-----------	-------	------------	-------------------	-------

Views

In this view, you add or delete teams, grant permissions to specific users, and define team members and their membership periods.

Teams can be organized in parent teams and sub-teams. Members of a sub-team will **not** automatically be members of the parent team.

- To add a team, click *Add* above the *Teams* table.
- Fill out the fields.

The *Name* field is required.

To convert the team into a sub-team, select the parent team from the drop-down menu in the *Parent Team* column.

- Click *OK*.

Teams

	Name	Description	Parent Team
<input type="checkbox"/>	Team IT		
<input type="checkbox"/>	Team Development		TPG Parent
<input type="checkbox"/>	Team Marketing		TPG Parent
<input type="checkbox"/>	Team Service		TPG Parent

OK Cancel

- Select the checkbox next to the team name to define related user permissions.
- Click *Add* above the *Team Roles* table.
- Select a user and their role from the drop-down menus.  
A *Team Lead* and a *Team Deputy* can edit the team plan in TPG TeamManager.  
A *Team Viewer* has only read access to the team plan.  
A team can have several deputies or viewers but only one team lead.
- Click *OK*.

Team Roles


	User	Role	
<input type="checkbox"/>			

OK Cancel

The next step is to **add resources as team members** .

### Withdrawing user permissions

- Select the team in the *Teams* table and the user in the *Team Roles* table.
- Click the three dots above the *Team Roles* table and select *Delete Selected Items*.




## 10.1 Assembling/Editing a team

- In the *Teams* table, select the team you want to assemble or edit.
- Click *Edit Mode* above the table.

Teams **Edit Mode** ... ▶


	Name	Description
<input type="radio"/>	Team Development	
<input checked="" type="radio"/>	Team IT	
<input type="radio"/>	Team Marketing	

- To add a resource, click *Add* above the *Team Members* table.
- Select a resource from the drop-down menu and click *OK*.



## 11 Portfolios

Views



► The user who creates a portfolio will automatically be the owner of the portfolio. Currently, the owner cannot be changed. Only the owner can create and edit scenarios based on the portfolio in TPG PortfolioManager. Therefore, write permissions in TPG PortfolioManager require the permission to create portfolios in TPG CoReAdmin.


- To create a portfolio, click *Add* above the *Portfolios* table.

- Fill out the fields.

Empty fields with a red border are required.

The *Owner* field shows the name of the current user, it be changed to another User.

- Click *Update*.



- Select the portfolio (1).

The *Resources* table will show all available resources.

- Select the resources you want to include in the portfolio (3).

The *Projects* table will show the projects to which the selected resources are assigned.

- Select the projects you want to include in the portfolio (4).

► It is possible to add but not to delete portfolio resources and their projects later. In TPG PortfolioManager, resources and projects can be deleted from the scenarios.

- Click *Update Portfolio* above the *Portfolios* table (2).


With this click, a scenario based on this portfolio will automatically be created in TPG PortfolioManager.

Portfolios			Resources			Projects		
Name	Currency	Comment	Name	Generic	Location	Name	Prio	Program
1 lolio04	USD		3 _Gen Services	<input checked="" type="checkbox"/>	DE	4 MSP_Project 11	2	Program04
<input type="radio"/> Portfolio02	EUR		<input checked="" type="checkbox"/> _Gen Training	<input checked="" type="checkbox"/>	DE	<input type="radio"/> MSP_Project 12	3	Program04
<input type="radio"/> Portfolio03	USD		<input type="radio"/> Daniela	<input type="checkbox"/>	DE	<input type="radio"/> MSP_Project 13	1	Program05
<input type="radio"/> Portfolio05	EUR		<input type="radio"/> David	<input type="checkbox"/>	DE	<input type="radio"/> MSP_Project 14	2	Program05
<input type="radio"/> Portfolio01	EUR		<input type="radio"/> Derrel	<input type="checkbox"/>	US	<input type="radio"/> MSP_Project 15	3	Program05
			<input checked="" type="checkbox"/> Ina	<input type="checkbox"/>		<input type="radio"/> MSP_Project 16	3	Program06
			<input checked="" type="checkbox"/> Irving	<input type="checkbox"/>		<input type="radio"/> MSP_Project 17	3	Program06
			<input type="radio"/> Maria	<input type="checkbox"/>		<input checked="" type="checkbox"/> MSP_Project 18	2	Program06
			<input type="radio"/> Miriam	<input type="checkbox"/>		<input checked="" type="checkbox"/> MSP_Project 19	2	Program07
			<input type="radio"/> Paul	<input type="checkbox"/>		<input checked="" type="checkbox"/> MSP_Project 20	2	Program07
			<input type="radio"/> Paula	<input type="checkbox"/>		<input checked="" type="checkbox"/> MSP_Project 21	2	Program07
			<input checked="" type="checkbox"/> Sally	<input type="checkbox"/>	US	<input checked="" type="checkbox"/> MSP_Project 22	2	Program09
			<input type="radio"/> Sam	<input type="checkbox"/>	DE	<input checked="" type="checkbox"/> MSP_Project 23	2	Program09
			<input checked="" type="checkbox"/> Sean	<input type="checkbox"/>	US	<input checked="" type="checkbox"/> MSP_Project 24	2	Program09
			<input checked="" type="checkbox"/> Sonja	<input type="checkbox"/>	DE	<input checked="" type="checkbox"/> Project A	2	Program A
			<input checked="" type="checkbox"/> Sven	<input type="checkbox"/>	DK	<input type="radio"/> Project A1	1	Program A
			<input checked="" type="checkbox"/> Terry	<input type="checkbox"/>	US	<input checked="" type="checkbox"/> Project B	2	
			<input checked="" type="checkbox"/> Tina	<input type="checkbox"/>	US	<input type="radio"/> Project B1	2	
			<input checked="" type="checkbox"/> Tom	<input type="checkbox"/>	US	<input checked="" type="checkbox"/> Project C	3	Program A

## 11.1 Editing a portfolio

Sometimes it may be necessary to add further resources and their projects to an existing portfolio:

- Select the portfolio in the *Portfolios* table (1).  
In the *Resources* and the *Projects* table, items that are already in the portfolio are grayed out. They cannot be removed.
- For a better overview, you can filter <sup>4</sup> the *Resources* or *Projects* table for items that are not yet in the portfolio or by other criteria (3).
- Select the resources or projects you want to add (4, 5).
- Click *Update Portfolio* above the *Portfolios* table (2).




It is also possible to delete or rename a portfolio.

**⚠** Deleting or renaming a portfolio means deleting the scenarios based on it in TPG PortfolioManager. Make sure the scenarios are no longer needed before you delete or rename the underlying portfolio.

- To delete a portfolio, select it in the *Portfolios* table and click the three dots above the table.



- Select *Delete selected Items* from the drop-down menu and confirm with *Yes* in the warning prompt that appears.



- To rename a portfolio, select it and double-click its name.
  - Edit the name and click *Update*.

Portfolios Update

	Name
<input checked="" type="checkbox"/>	Portfolio04a
<input type="checkbox"/>	Portfolio02
<input type="checkbox"/>	Portfolio03

Update Cancel